



# WL217 | MOONLIGHT SERIES

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_



|                   |                         |                    |                                 |
|-------------------|-------------------------|--------------------|---------------------------------|
| <b>Size</b>       | 4.7" W x 18" H x 4.6" D | <b>Lumens</b>      | 551lm                           |
| <b>Watts</b>      | 12W                     | <b>CCT Tunable</b> | 3000K - 4000K - 5000K           |
| <b>Voltage</b>    | 120V                    | <b>IP Rating</b>   | IP54                            |
| <b>Dimming</b>    | TRIAC                   | <b>Materials</b>   | Aluminum, Glass                 |
| <b>Beam Angle</b> | N/A                     | <b>Finish</b>      | Black, Bronze                   |
| <b>CRI</b>        | 95                      | <b>Lens</b>        | Inside Frosted<br>Outside Clear |
| <b>PF</b>         | 0.9                     | <b>Lifespan</b>    | 30,000 Hours                    |

## OVERVIEW

- Tunable:** 3000K, 4000K, 5000K
- Applications:** IP54
- Efficacy:** 40-50lm/W
- Dimming:** TRIAC
- LED Type:** SMD 2835
- Driver:** BOE15K035040TDS2
- Operating Temp:** -40° to 104° F
- Operating Humidity:** 10%-65% RH
- Lifespan:** 30,000 Hours
- Warranty:** 3 Years

## FEATURES

- Includes a CCT Tunable switch; easily select between three color temperatures
- Available in two finishes: black and bronze
- Protected from the elements with an IP54 rating making it suitable for rainy environments



The SARIN Moonlight Series features elegant, outdoor wall sconces that add functional lighting and brilliance to any area. Constructed from solid aluminum, this fixture boasts a sleek look with a black or bronze finish and features color temperature tuning. This cylinder-shaped wall light offers a consistent glow with a clear, glass globe that provides a bright and robust lighting environment.

LED Wall Sconces are safe to use in wet locations that come in direct contact with rain and water. The fixtures have a switch to change between three color temperatures. This decorative LED wall sconce is ideal for any exterior wall on hotels, homes, and offices.



# WL217 | MOONLIGHT SERIES


Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_

## PHOTOMETRICS:

X° Beam Angle: (Polar Candela Dist. )


Light Distance: (Illuminance at a Distance)



|        | Center Beam fc | Beam Width |        |
|--------|----------------|------------|--------|
| 1.7ft  | 13.4 fc        | 3.3 ft     | 1.2 ft |
| 3.3ft  | 3.56 fc        | 6.3 ft     | 2.3 ft |
| 5.0ft  | 1.55 fc        | 9.6 ft     | 3.5 ft |
| 6.7ft  | 0.86 fc        | 12.8 ft    | 4.7 ft |
| 8.3ft  | 0.56 fc        | 15.9 ft    | 5.8 ft |
| 10.0ft | 0.39 fc        | 19.1 ft    | 7.0 ft |

■ Vert. Spread: 87.4°  
■ Horiz. Spread: 38.7°

## DIMENSIONS:





# WL217 | MOONLIGHT SERIES

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_

## ORDER FORM:

(\*) Special Order/Not Commonly Stocked

Custom Model Assembly

|   |   |   |                                 |  |
|---|---|---|---------------------------------|--|
| <b>Fixture</b>                            | <b>CCT</b>                                  | <b>Watts</b>                            | <b>Finish</b>                   | <b>Voltage</b>                           |
| <input checked="" type="checkbox"/> WL217 | <input checked="" type="checkbox"/> Tunable | <input checked="" type="checkbox"/> 12W | <input type="checkbox"/> Black  | <input checked="" type="checkbox"/> 120V |
|   |   |   | <input type="checkbox"/> Bronze |  |

SES-WL217-BL  
Example Model Number

**SES – WL217 – Tunable – 12W – – 120V**

Quantity

Fixture

CCT

Watts

Finish

Voltage

### Common Stock Models:

| Item # | Model #      |
|--------|--------------|
| 11211  | SES-WL217-BL |
| 11219  | SES-WL217-BR |