




# WL221 | MOONLIGHT SERIES

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_



<b>Size</b>	4.7" W x 18" H x 2.4" D	<b>Lumens</b>	448lm
<b>Watts</b>	13W	<b>CCT Tunable</b>	3000K - 4000K - 5000K
<b>Voltage</b>	120V	<b>IP Rating</b>	IP54
<b>Dimming</b>	TRIAC	<b>Materials</b>	Aluminum, Acrylic
<b>Beam Angle</b>	N/A	<b>Finish</b>	Black, Bronze
<b>CRI</b>	95	<b>Lens</b>	Frosted
<b>PF</b>	0.9	<b>Lifespan</b>	30,000 Hours

## OVERVIEW

**Tunable:** 3000K, 4000K, 5000K

**Applications:** IP54

**Efficacy:** 30-40lm/W

**Dimming:** TRIAC

**LED Type:** SMD 2835

**Driver:** BOE15K035040TDS2

**Operating Temp:** -40° to 104° F

**Operating Humidity:** 10%-65% RH

**Lifespan:** 30,000 Hours

**Warranty:** 3 Years

## FEATURES

- Includes a CCT Tunable switch; easily select between three color temperatures
- Available in two finishes: black and bronze
- Protected from the elements with an IP54 rating making it suitable for rainy environments



The SARIN Moonlight Series features elegant, outdoor wall sconces that add functional lighting and brilliance to any area. Built with a sturdy metal frame with a black or bronze finish, this fixture features color temperature tuning and weather-resistant durability. This rectangular column-shaped wall light offers a consistent glow with a frosted, glass globe that provides a soft and rich lighting environment. The vertical, metal shade diverts the light to cause an aesthetically pleasing effect.

LED Wall Sconces are safe to use in wet locations that come in direct contact with rain and water. The fixtures have a switch to change between three color temperatures. This decorative LED wall sconce is ideal for any exterior wall on hotels, homes, and offices.



WL221

MOONLIGHT SERIES


Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_

### PHOTOMETRICS:

X° Beam Angle: (Polar Candela Dist.)

Light Distance: (Illuminance at a Distance)




**Illuminance at a Distance**

	Center Beam fc	Beam Width	
1.7ft	155 fc	2.9 ft	1.1 ft
3.3ft	41.0 fc	5.5 ft	2.1 ft
5.0ft	17.9 fc	8.4 ft	3.1 ft
6.7ft	9.95 fc	11.2 ft	4.2 ft
8.3ft	6.49 fc	13.9 ft	5.2 ft
10.0ft	4.47 fc	16.8 ft	6.3 ft

■ Vert. Spread: 80.0°  
■ Horiz. Spread: 34.8°

### DIMENSIONS:





# WL221 | MOONLIGHT SERIES

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_

## ORDER FORM:

(\* Special Order/Not Commonly Stocked)

Custom Model Assembly

	<b>Fixture</b>	<b>CCT</b>	<b>Watts</b>	<b>Finish</b>	<b>Voltage</b>
	<input checked="" type="checkbox"/> WL221	<input checked="" type="checkbox"/> Tunable	<input checked="" type="checkbox"/> 13W	<input type="checkbox"/> Black	<input checked="" type="checkbox"/> 120V
				<input type="checkbox"/> Bronze	

_____	<b>SES</b>	<b>– WL221</b>	<b>– Tunable</b>	<b>– 13W</b>	<b>–</b>	<b>– 120V</b>
<b>Quantity</b>	Fixture	CCT	Watts	Finish		Voltage

SES-WL221-BL  
Example Model Number

### Common Stock Models:

Item #	Model #
11213	SES-WL221-BL
11221	SES-WL221-BR