WL5942 | LED CCT OUTDOOR WALL SCONCE

Project:_____ Type:_____

Name:_____ Date:_____

Size	3.3" x 10" x 4.4"	**Lumens**	700lm
Watts	13W	**CCT**	Tunable
Voltage	110-240V	**IP Rating**	IP54
Dimming	Non-Dimming	**Materials**	Aluminum, PC
Beam Angle	110°	**Finish**	Matte Black
CRI	80	**Lens**	Frosted
PF	0.8	**Lifespan**	30,000 Hours

SARIN LED Decorative Outdoor Wall Sconces add functional lighting with a design element to any outdoor area. Constructed from solid aluminum, this fixture boasts a clean look with a matte black finish and features a CCT tunable switch. The lamps on the top and bottom of the fixture can be independently rotated, up to 340°.

This decorative LED wall sconce is ideal for exterior walls on hotels, homes, and offices.

LED Wall Sconces are safe to use in wet locations that come in direct contact with rain and water. This light has a switch to change between three color temperatures.

OVERVIEW

CCT: Tunable

Applications: IP54

Efficacy: 50-60lm/W

Dimming: Non-Dimming

LED Type: Everlight 2835

Driver: KEGU

Operating Temp: -20° to 40° F

Operating Humidity: 10%-65% RH

Lifespan: 30,000 Hours

Warranty: 3 Years

FEATURES

- Includes a CCT Tunable switch – easily select among three color temperatures
- Protected from the elements with an IP54 rating, making it suitable for rainy environments
- Frosted lens protects the eyes from glare while adding a warm, rich light

CE

WL5942 | LED CCT OUTDOOR WALL SCONCE

Project:_____ Type:_____

Name:_____ Date:_____

PHOTOMETRICS:

X° Beam Angle: (Polar Candela Dist.)



Light Distance: (Illuminance at a Distance)



DIMENSIONS:



WL5942 | LED CCT OUTDOOR WALL SCONCE

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture	CCT	Watts	Beam Angle	Voltage
☑ WL5942	☑ Tunable	☑ 13W	☑ 110°	☑ 110-240V

SES-WL5942-CCT-13
Example Model Number

_____	**SES**	– **WL6011**	– **Tunable**	– **13W**	– **110°**	– **110-240V**
Quantity		Fixture	CCT	Watts	Beam Angle	Voltage

Common Stock Models:

Item #	Model #
11241	SES-WL5942-CCT-13

©2022