

Project:

Name:

Type:_

Date:



Size	6" H x 4.7" W x 5.9" D	Lumens	500lm
Watts	7.5W	ССТ	Tunable
Voltage	110-240V	IP Rating	IP54
Dimming	Non-Dimming	Materials	Aluminum, PC
Beam Angle	110°	Finish	Matte Black
CRI	>80	Lens	Frosted
PF	0.8	Lifespan	30,000 Hours
	1		I

SARIN LED Decorative Outdoor Wall Sconces add functional lighting with a design element to any outdoor area. Constructed from solid aluminum, this fixture boasts a clean, straight-lined look with a dark gray finish and features a CCT tunable switch.

This decorative LED wall sconce is ideal for exterior walls on hotels, homes, and offices.

LED Wall Sconces are safe to use in wet locations that come in direct contact with rain and water. This light has a switch to change between three color temperatures.




OVERVIEW

CCT: Tunable Applications: IP54 Efficacy: 65-70lm/W Dimming: Non-Dimming LED Type: Everlight 2835 Driver: Eaglerise Operating Temp: -20° to 40° F Operating Humidity: 10%-65% RH Lifespan: 30,000 Hours Warranty: 3 Years

FEATURES

- Includes a CCT Tunable switch easily select among three color temperatures
- Protected from the elements with an IP54 rating making it suitable for rainy environments
- Frosted lens protects the eyes from glare while adding a warm, rich light





Droi	inc	÷	
Proj	lec	ι	


Name:

____Type:_

Date:_

PHOTOMETRICS:


X° Beam Angle: (Polar Candela Dist.)




Light Distance: (Illuminance at a Distance)

	Illuminance at a Di	stance	
	Center Beam fc	Beam Wid	th
1.7 R	13.3 fc 🔺	3.4 ft	2.0 ft
3.3R	3.53 fc	6.6 ft	3.8 ft
5.0ft	1.54 fc	10.0 ft	5.8 ft
6.7 R	0.86 fc	13.4 ft	7.8 ft
8.3ft	0.56 fc	16.6 ft	9.6 ft
10.0 R	0.38 fc	20.0 ft	11.6 ft
	Vert. Spread: 90.0° Horiz. Spread: 60.2°		

DIMENSIONS:









Project: T	ype:
N a m e : D	Date:

ORDER FORM:

Custom Model Assembly			(*) Specio	al Order/Not Com	monly Stocked
SES-WL6011-CCT-7 Example Model Number	Fixture ☑ WL6011	CCT Inable	Watts ₽ 7.5W	Beam Angle 110°	Voltage 110-240V
SES	- WL6011 -				-110-240V
Quantity	Fixture	ССТ	Watts	Beam Angle	Voltage

Common Stock Models:

Item #	Model #	
11240	SES-WL6011-CCT-7	

