




PG07

CCT PARKING GARAGE LIGHT

Project: _____ Type: _____

Name: _____ Date: _____



Size	9.6" L x 9.6" W x 3.6" H	Lumens	9,375 - 10,125lm
Watts	75W	CCT	3000K-4000K-5000K
Voltage	AC120-277V	IP Rating	IP65
Dimming	0-10V	Materials	Die-Cast Aluminum
Beam Angle	190°	Finish	White
CRI	>80	Lens	Clear
PF	≥ 0.9	Lifespan	50,000 Hours

OVERVIEW

- CCT:** 3000K-4000K-5000K
- Applications:** IP65
- Efficacy:** 125-140lm/W
- Dimming:** 0-10V
- LED Type:** Lumileds 2835
- Lens Type:** Lumileds Holding B.V L128-XX80RA35000H1
- Driver:** BQE85-1650-48-PV
- Operating Temp:** -31°F to 122°F
- Operating Humidity:** 10% - 90% RH
- Lifespan:** 50,000 Hours
- Warranty:** 5 Years

FEATURES

- IP65 rating, ideal for outdoor application with protection from the elements
- Extremely high efficacy of 130-135 lumens per watt, which saves on electricity usage



SARIN LED PARKING GARAGE LIGHTS offer the best in class for parking garage safety and lighting. These lights illuminate dark areas like no other and provide safety by deterring criminal activity, keeping patrons moving along with confidence.

These garage lights are high efficiency and light up areas effortlessly with lumen output of up to 10,125, paired with three color temperature options. These lights are designed for parking garages and for outdoor use; safe when exposed to rain and moisture. The LEDs in this unit are guaranteed to last up to 50,000 hours and are backed by a 5 year warranty.




PG07

CCT PARKING GARAGE LIGHT



Project: _____ Type: _____

Name: _____ Date: _____

PHOTOMETRICS:



DIMENSIONS:





PG07

CCT PARKING GARAGE LIGHT

Project: _____ Type: _____

Name: _____ Date: _____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture	CCT	Watts	Beam Angle	Voltage
<input checked="" type="checkbox"/> PG07	<input checked="" type="checkbox"/> Tunable	<input checked="" type="checkbox"/> 75W	<input checked="" type="checkbox"/> 190°	<input checked="" type="checkbox"/> 120-277V

SES-PG07-CCT-75W
Example Model Number

SES – PG07 – Tunable – 75W – 190° – 120-277V

Quantity

Fixture

CCT

Watts

Beam Angle

Voltage

Common Stock Models:

Item #	Model #
11334	SES-PG07-CCT-75W

200-480V special order, not commonly stocked