

MLO2 | TEMPERED GLASS CCT MIRROR LIGH

Project:


Type:_

N a m e :_____

Date:_







Watts	84W 90W		
Lumens	13,272lm 14,220lm		
Size	see dimensions	ССТ	3000K, 4500K, 6000K
Voltage	90-264V	IP Rating	IP44
Dimming	Touch Dimmer	Materials	Aluminum, Mirror
Beam Angle	120°	Finish	Mirrored, White
CRI	90	Lens	Frosted Edge
PF	N/A	Lifespan	35,000 Hours

SARIN LED Adjustable CCT Mirror Lights are widely used as a functional decoration for restrooms in residential and commercial spaces. What sets this mirror apart from traditional mirrors is the tempered glass. Tempered glass offers a whole new level of security versus standard glass mirrors, offering impeccable durability and peace of mind when it comes to shipping and handling.

There is a heater behind the glass to prevent fog and a switch in the middle of the mirror. The mounting plate allows you to install vertically or horizontally. Available with a frosted lens, this mirror can switch between three color temperatures, either by touch or with an optional switch.

OVERVIEW

CCT: Tunable Applications: Indoor IP44 Efficacy: 158 Im/W Dimming: Non-Dimming LED Type: SMD 2835 Lens Type: Frosted Operating Temp: -40° to 113° F Operating Humidity: 10%-65% RH Heater: Anti-Fog Lifespan: 35,000 Hours Warranty: 5 Years for Mirror & Frame 2 Years for Electronic Components

FEATURES

- 4mm Tempered Glass Mirror
- Adjustable Color Temperature
- Automatic Defogger
- Copper-Free, Anti-Corrosion
- Touch On / Off CCT Adjustable Control and Dimmer
- Sensor or hardwire connection
- Safety-Backed, Anti-Shatter
- Frosted Lens
- Natural, Soft Light
- Easy Rotatable Installation
- High Energy Efficiency










_____Type:__


Name:_____Date:____

DIMENSIONS:





11381







MLO2 | TEMPERED GLASS CCT MIRROR LIGHT


Proje	ect:
-------	------

______Type:__

Name:_____ Date:____

DIMENSIONS:

11380







TEMPERED GLASS CCT MIRROR LIGHT

Project:	Туре:
Name:	Date:

ORDER FORM:

			(*) Specio	Il Order/Not C	ommonly Stocked
Custom Model Assembly					
	Fixture	Size	ССТ	Watts	Voltage
	🗹 мгоз	□ 36″x36″	🗹 Tunable	🗆 84W	🗹 90-264V
SES-ML02-3636-CCT-84 Example Model Number		☐ 48″x36″		□ 90W	

	SES	– MLO2 –	_	- CCT	—	- 90-264V
Quantity		Fixture	Size	ССТ	Watts	Voltage

Common Stock Models:

ltem #	Model #
11379	SES-ML02-3636-CCT-84-TOUCH
11380	SES-ML02-3636-CCT-84
11381	SES-ML02-4836-CCT-90-TOUCH
11382	SES-ML02-4836-CCT-90

