

Project:_	Туре:	

Name:_____ Date:____

CL2105









Size	CL2105: 4.53"H x 3.54"D CL2106: 6.10"H x 4.25"D		
Watts	7W		
Voltage	90-264V		
Dimming	No		
Beam Angle	80°		
CRI	80		
PF	0.95		

Lumens	700lm	
ССТ 3000К		
IP Rating IP65		
Materials	Aluminum, tempered glass	
Finish	Black	
Lens	Tempered glass	
Lifespan 20,000 hours		

OVERVIEW

CCT: 3000K

Applications: Indoor or Outdoor

(IP65)

Efficacy: 0.8 Dimming: N/A **LED Type:** COB

Lens Type: Tempered glass **Operating Temp:** 5° to 122° Operating Humidity: 10% to

90%RH


Lifespan: 20,000 hours

Warranty: 2

SARIN Cannister Ceiling Lights are designed to provide functional lighting in a fashionable fixture. These lights are IP65 rated, so they are safe for outdoor use. The 80° beam angle and 3000K Color Temperature offer a warm, directed light. Use these lights indoor or outdoor!









Project:	Туре:

Name:______ Date:_


PHOTOMETRICS:


CL2105 CL2106

Illuminance at a Distance				
	Center Beam fc	Beam Wid	Beam Width	
2.7ft	77.7 fc 🛕	4.6 ft	4.7 ft	
5.3ft	20.2 fc	9.0 ft	9.3 ft	
8.0R	8.85 fc	13.6 ft	14.0 ft	
10.7R	4.95 fc	18.3 ft	18.7 ft	
13.3R	3.20 fc	22.7 ft	23.2 ft	
16.0R	2.21 fc	27.3 ft	28.0 ft	
■ Vert. Spread: 80.9° ■ Horiz. Spread: 82.3°				




DIMENSIONS:














Project:	Туре:
N a m e :	Date:

ORDER FORM:

			(*) Speci	al Order/Not Com	monly Stocked
Custom Model Assembly					
SES-CL2105-3000-7 Example Model Number	Fixture ☐ CL2105 ☐ CL2106	сст √ зооок	Watts 7W 12W	Beam Angle 1 80°	Voltage ☑ 90-264V
SES		- 3000K		- 80° ·	- 90-264V
Quantity	Fixture	CCT	Watts	Beam Angle	Voltage

Common Stock Models:

ltem #	Model #
11258	SES-CL2105-3000-7
11259	SES-CL2106-3000-12





