




# LA04A CCT LINEAR STRIP LIGHT

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_



<b>Size</b>	<b>40W</b> 2.4x2.7x48 <b>70W</b> 2.4x2.7x96	<b>Lumens:</b>	<b>40W</b> 4,800-5,600lm <b>70W</b> 8,400-9,800lm
<b>Wattage</b>	20W/30W/40W 50W/60W/70W	<b>CCT</b>	3000K-4000K- 5000K- 5700K-6500K
<b>Voltage</b>	120-277VAC	<b>IP Rating</b>	IP20
<b>Dimming</b>	0-10V	<b>Materials</b>	Iron
<b>Beam Angle</b>	130°	<b>Finish</b>	White
<b>CRI</b>	>80	<b>Lens</b>	Clear
<b>PF</b>	≥ 0.9	<b>Lifespan</b>	50,000 Hours

## OVERVIEW

- Tunable:** 3000K-5000K
- Efficacy:** 120-140lm/W
- Dimming:** 0-10V dimming
- LED Type:** Lumileds 2835
- Lens Type:** Clear
- Driver:** BQ-40L3-X-Y-Z
- Operating Temp:** -22° to 113° F without motion sensor & emergency back up; -4 to 113° F with motion sensor and emergency back up; 32° to 113° F with motion sensor
- Operating Humidity:** 20%-90%RH
- Lifespan:** 50,000 Hours
- Warranty:** 5 Years

## FEATURES

- Includes wiring box cover & screws
- Optional Accessories: DC Motion Sensor, Emergency Power Supply
- Mounting Options: Ceiling mount, pendant mount, cable mount, chain mount

SARIN LED Adjustable CCT Linear Strips are commonly used to replace fluorescent lights in work areas. In addition to tunable color temperatures, the 4' and 8' models also allow you to switch between three wattage settings.

Not only can these be surface mounted but they also look great when suspended. LED Wraparounds are perfect for offices, garages, auto body shops, and car dealerships.





# LA04A CCT LINEAR STRIP LIGHT

Project: \_\_\_\_\_ Type: \_\_\_\_\_


Name: \_\_\_\_\_ Date: \_\_\_\_\_

## PHOTOMETRICS:

4' @ 40W

X° Beam Angle: (Polar Candela Dist. )

Light Distance: (Illuminance at a Distance)





Light Distance (ft)	Illuminance at a Distance	
	Center Beam fc	Beam Width
2.5ft	232 fc	6.7 ft 16.9 ft
5.0ft	58.1 fc	13.4 ft 33.7 ft
7.5ft	25.8 fc	20.2 ft 50.6 ft
10.0ft	14.5 fc	26.9 ft 67.5 ft
12.5ft	9.29 fc	33.6 ft 84.3 ft
15.0ft	6.45 fc	40.3 ft 101.2 ft



■ Vert. Spread: 106.7°  
■ Horiz. Spread: 147.0°

## DIMENSIONS:

4ft



8ft





# LA04A

# CCT LINEAR STRIP LIGHT

Project: \_\_\_\_\_ Type: \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_

## ORDER FORM:

(\*) Special Order/Not Commonly Stocked

Custom Model Assembly

**Fixture** LA04A**CCT** Tunable**Watts** 20W / 30W / 40W (4FT) 50W / 60W / 70W (FT)**Voltage** 120-277VSES-LA04A-40/30/20-3/4/5/57/65K  
Example Model Number**SES – LA04A – Tunable –****–120-277V**

Quantity

Fixture

CCT

Watts

Voltage

### Common Stock Models:

Item #	Model #
11476	SES-LA04A-40/30/20-3/4/5/57/65K
11477	SES-LA04A-70/60/50-3/4/5/57/65K

### Optional Accessories:

Item #	Model #	QTY
13044	SES-LA01C-CHAIN	
13046	SES-LA02C-SURFACE	
13047	SES-LA02C-SUSPENDED	
11373	BLD-CM20H-1500400 (Emergency Driver)	
13048	SES-HB001VCR (Microwave Sensor)	
13049	SES-HB03DPR-LA02C (PIR Sensor)	



13044



13046



13047



11373



13048



13049