



ML02

TEMPERED GLASS CCT MIRROR LIGHT

Project: _____ Type: _____

Name: _____ Date: _____



OVERVIEW

CCT: 3000K, 4000K, 5000K**Applications:** IP44**Efficacy:** 100-110 lm/W**Dimming:** Non-Dimming**LED Type:** SMD 2835**Lens Type:** N/A**Operating Temp:** -4 to 104° F**Operating Humidity:** 10%-65% RH**Heater:** Anti-Fog**Lifespan:** 50,000 Hours**Warranty:** 5 Years for Mirror & Frame

2 Years for Electronic

Components

FEATURES

- 4mm Tempered Glass Mirror
- Adjustable Color Temperature
- Automatic Defogger
- Copper-Free, Anti-Corrosion
- Sensor or hardwire connection
- Safety-Backed, Anti-Shatter Glass
- Natural, Soft Light
- Easy Rotatable Installation
- High Energy Efficiency

Watts	85W	100W
Lumens	8,500lm-9,300lm	10,000lm-11,000lm
Size	11380: 85W: 36"x36" 11382: 100W: 36"x48"	
Voltage	120V	
Dimming	Non-Dimming	
Beam Angle	120°	
CRI	90	
PF	.5	

CCT	3000K, 4000K, 5000K
IP Rating	IP44
Materials	Aluminum, Glass
Finish	Mirrored, White
Lens	N/A
Lifespan	50,000 Hours

SARIN LED Adjustable CCT Mirror Lights are widely used as a functional decoration for restrooms in residential and commercial spaces. What sets this mirror apart from traditional mirrors is the tempered glass. Tempered glass offers a whole new level of security versus standard glass mirrors, offering impeccable durability and peace of mind when it comes to shipping and handling.

There is a heater behind the glass to prevent fog and a switch in the middle of the mirror. The mounting plate allows you to install vertically or horizontally. Available with a frosted lens, this mirror can switch between three color temperatures, either by touch or with an optional switch.





ML02


TEMPERED GLASS CCT MIRROR LIGHT

Project: _____ Type: _____


Name: _____ Date: _____

DIMENSIONS:


11380



Front side




Right side




Back side


11382



Front Side



Right side



Back side



ML02

TEMPERED
GLASS CCT
MIRROR LIGHT

Project: _____ Type: _____
Name: _____ Date: _____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

	Fixture	Size	CCT	Watts	Voltage
	☒ ML02	☒ 36"x36"	☒ Tunable	☒ 85W	☒ 120V
		☐ 48"x36"		☐ 100W	

SES-ML02-3636-CCT-87
Example Model Number

	SES	—	ML02	—		—	CCT	—	87	—
Quantity			Fixture		Size		CCT		Watts	

Common Stock Models:

Item #	Model #
11380	SES-ML02-3636-CCT-87
11382	SES-ML02-4836-CCT-87