TLS | CCT and Beam Angle Adjustable Track Heads

Project:_____ Type:_____

Name:_____ Date:_____







Size	**11496-11497** **11498-11499**	6.22" x 2.7" 7.16" x 3.58"	**Lumens**	**11496-11497** **11498-11499**	1,125-1,200lm 2,625-2,800lm
Watts	**11496-11497** **11498-11499**	15W 35W	**CCT**	3000K/4000K/5000K	
Voltage	120V		**IP Rating**	IP20	
Dimming	Triac		**Materials**	Aluminum, PMMA	
Beam Angle	15° - 55°		**Finish**	White, Black	
CRI	90		**Lens**	Adjustable Beam Angle	
PF	.90		**Lifespan**	50,000 Hours	

OVERVIEW

CCT: 3000K/4000K/5000K

Applications: IP20

Efficacy: 75-80lm/W

Dimming: TRIAC

LED Type: COB

Lens Type: Adjustable

Operating Temp: -40°F to 113°F

Operating Humidity: 10% - 65% RH

Lifespan: 50,000 Hours

Warranty: 5 Years

FEATURES

- 3 CCTs
- Available in 15W or 35W
- Beam angle adjustable
- Aluminum body disperses heat better than its counterparts and maximizes LED efficiency

SARIN's CCT Tunable Track Head offers a versatile lighting solution with its adjustable beam angle (15-55°) and compatibility with both Juno and Halo track adapters. Designed with a die-casting aluminum body for efficient heat dissipation, it features 3 CCTs and two different wattage options, along with dimming capability. The track light is suitable for damp locations and has a 50,000-hour lifetime. Available in a black or white finish, these track heads are designed to work with the SARIN TLS Track system.

TLS


CCT and Beam Angle Adjustable Track Heads

Project:_____ Type:_____


Name:_____ Date:_____

DIMENSIONS:

15W



35W



TLS

CCT and Beam Angle Adjustable Track Heads

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

SES-TLS-CCT-15W-WH
Example Model Number

Fixture	CCT	Watts	Finish	Voltage
☑ TLS	☑ 3000K	☐ 15W	☐ White	☑ AC 120V
	☑ 4000K	☐ 35W	☐ Black	
	☑ 5000K			

_____	SES	–	TLS	–	CCT	–	_____	–	_____	–	120
Quantity			Fixture		CCT		Watts		Finish		Voltage

Common Stock Models:

Item #	Model #
11496	SES-TLS-CCT-15W-WH
11497	SES-TLS-CCT-15W-BK
11498	SES-TLS-CCT-35W-WH
11499	SES-TLS-CCT-35W-BK

©2025