GAS12 | 12" SLIM GAS PRICE SIGN

Project:_____ Type:_____

Name:_____ Date:_____

	Single Sided (32W)	Double Sided (64W)
Red	11692	11693
Green	11690	11691

Size	3.28ft x 1.41ft x 0.18FT	**Lumens**	N/A
Voltage	AC 110	**CCT**	Red/Green
Dimming	Yes - Light Sensor	**IP Rating**	IP54
Lifespan	100,000hrs	**Materials**	LED digital module & aluminum box
		Finish	Black

SARIN 12" LED Slim Gas Price Signs are engineered for high-visibility fuel pricing applications in convenience store and fueling environments. Designed with a slim, low-profile housing, these units provide bright, uniform illumination for clear readability in both daytime and nighttime conditions. Built for long-term outdoor performance, the signs feature durable construction and energy-efficient LED technology to reduce maintenance and operating costs. Each unit houses the complete control module internally, eliminating the need for separate component installation and delivering a true all-in-one solution for fast, seamless deployment. Advanced control options include RF remote operation, 4G connectivity, Bluetooth, and WiFi app-based control, providing flexible, real-time price updates across single or multiple locations. Ideal for retrofit or new installations, these compact 12-inch displays provide reliable, consistent performance with a clean, modern aesthetic.

OVERVIEW

Applications: Indoor/Outdoor

IP Rating: IP54

Dimming: Yes - Light Sensor

Driver Model: Static State/Trends

Operating Temp: -13° to 131° F

Operating Humidity: 10%-80% RH

Warranty: 2 Years

FEATURES

- RF remote & 4G & Bluetooth & Wifi APPcontrol
- Built in light sensor for optimal viewing in daylight and nighttime operations
- Availiable in single or double sided configurations

UL LISTED

GAS12 | 12" SLIM GAS PRICE SIGN

Project:_____ Type:_____

Name:_____ Date:_____

DIMENSIONS:

INSTALLATION:



GAS12 | 12" SLIM GAS PRICE SIGN

Project:_____ Type:_____

Name:_____ Date:_____

SINGLE SIDED (11690, 11692):

Wiring diagram



DOUBLE SIDED (11691, 11693):

Wiring diagram



IMPORTANT SAFEGUARDS:

1. Installation, service and maintenance should be performed by a qualified licensed electrician.
2. Make all electrical and grounded connections in accordance with national electrical code and any applicable local code requirements.
3. Disconnect power at fuse or circuit breaker before installing or servicing.
4. Review the diagrams thoroughly before beginning.
5. Do not mount in hazardous locations, or near gas or electric heaters.
6. Do not let power cords touch hot surfaces.
7. Equipment should be mounted in locations where it will not be subjected to tampering by unauthorized personnel.
8. Do not use equipment for other than its intended use.

GAS12 | 12" SLIM GAS PRICE SIGN

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture	Watts	COLOR	SIDES
☑ GAS12	☑ 32W	☑ RED	☑ SINGLE
	☐ 64W	☐ GREEN	☐ DOUBLE

SES-GAS12-32-R-SS
Example Model Number

Quantity					
	SES	**GAS12**		**RED**	**4**
		Fixture		COLOR	SIDES

Common Stock Models:

Item #	Model #
11690	SES-GAS12-32-G-SS
11691	SES-GAS12-64-G-DS
11692	SES-GAS12-32-R-SS
11693	SES-GAS12-64-R-DS

Accessories:

Item #	Model #
11690-A	SES-GAS-CORD-5M
11690-B	SES-GAS-CORD-10M
11690-C	SES-GAS-INSTALLSTRIP

©2026