



POLES

20FT AND 25FT POLES

Project: _____ Type: _____

Name: _____ Date: _____



Size	x" x"
Watts	20W
Voltage	120V
Dimming	Non-Dimming
Beam Angle	120°
CRI	>80
PF	≥ 0.9

Lumens	lm
CCT	3000K, 5000K
IP Rating	IP65
Materials	Aluminum, PC
Finish	White
Lens	Clear
Lifespan	50,000 Hours

OVERVIEW

CCT: CCT

Applications: Indoor Outdoor (IP)

Efficacy: lm/W

Dimming: Non-Dimming

LED Type: SMD

Lens Type: Clear

Driver: (Optional)

Operating Temp: -F° to F°

Operating Humidity: %RH

Lifespan: 50,000 Hours

Warranty: 5 Years

FEATURES

.

Introduction
Application
Features




POLES

20FT AND 25FT POLES

Project: _____ Type: _____

Name: _____ Date: _____

20FT






POLES

20FT AND 25FT POLES

Project: _____ Type: _____

Name: _____ Date: _____

25FT





POLES

20FT AND 25FT
POLES

Project: _____ Type: _____

Name: _____ Date: _____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture

- ☐ 20FT
- ☐ 25FT

SES-20FT-4" Square pole
Example Model Number

Quantity

SES — 20FT

Fixture

Common Stock Models:

Item #	Model #
19001	20FT-4" Square pole
19002	25FT-4" Square pole

Optional Accessories:

Item #	Model #
19003	TSQ4TVT-1
19004	TSQ4TRVT-1
19005	TSQ4TRVT- Y -1



19003: Two-Light Bullhorn



19004: Three-Light Bullhorn



19005: Three-Light "Y" Bullhorn