



Project:	Туре:
,	,, <u> </u>

Date:









Size	48" x 36" x 1.8"
Wattage	78W
Voltage	120V
Dimming	Touch Dimmer
Beam Angle	120°
CRI	90
PF	N/A

ССТ	5000K
IP Rating	IP44
Materials	Aluminum, Mirror
Finish	Mirrored, Silver gray
Lens	Frosted Edge
Lifespan	35,000 Hours

SARIN LED Mirror Lights are widely used as a functional decoration for restrooms in residential and commercial spaces. There is a heater behind the glass to prevent fog and a switch in the middle of the mirror. The mounting plate allows you to install vertically or horizontally.

OVERVIEW

CCT: 5000K

Applications: Indoor IP44 Efficacy: 130-140lm/W **Dimming:** Touch Dimming LED Type: SMD 2835

Lens Type: Frosted

Operating Temp: -40° to 113° F Operating Humidity: 10%-65% RH

Heater: Anti-Fog

Lifespan: 35,000 Hours

Warranty: 5 Years for Mirror & Frame 2 Years for Electronic Components

FEATURES

- Automatic Defogger
- Copper-Free, Anti-Corrosion
- Touch On / Off
- Sensor or hardwire connection
- Safety-Backed, Anti-Shatter
- Frosted Lens
- Natural, Soft Light
- Easy Rotatable Installation
- High Energy Efficiency









LED@SARINEnergy.com **⊕SARIN**Energy.com






MLO2 | 48"x36" LED | Project:_______ Type:____ | Date:_______ | Date:_______ |

Project:Type:

DIMENSIONS:















Project:	Туре:
----------	-------

Package:

Honeycomb cardboard + lid box








Package:


Polystyrene + carton








Instruction Manual:





















Project:	Type:	
Name:	Date:	

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture Size **CCT** Watts Edge **₫** 5000K ✓ ML02 **√** 36"x48" **7**8W Frosted

SES-ML02-4836-5000-78 Example Model Number

SES ML02 - 4836 **- 5000 78** Quantity Fixture Size CCT Watts

Common Stock Models:

Item # Model #

11462 SES-ML02-4836-5000-78











©2024