



PG

LED Parking Garage Light

Project: _____ Type: _____

Name: _____ Date: _____



Size	55W: 10" L x 10" W x 3" H 75W: 11" L x 11" W x 3" H	Lumens	55W: 7,331lm 75W: 10,103lm
Watts	55W, 75W	CCT	3000K/4000K/5000K
Voltage	120-277V	IP Rating	IP65
Dimming	0-10V Dimming	Materials	Aluminum
Beam Angle	150°	Finish	White, Bronze
CRI	>80	Lens	Stripe
PF	0.9	Lifespan	50,000 Hours

OVERVIEW

Applications: Outdoor IP65
Efficacy: 135-142lm/w
Dimming: 0-10V dimming
LED Type: L128-XX80RA35000H1
L128-XX80RA35003HX
Lens Type: Clear
Driver Type: 55W: HB-LPG060-52
75W: MP-080T130A
Operating Temp: -22°F to 122°F
Operating Humidity: 20-90% RH
Lifespan: 50,000 Hours
Warranty: 5 Years

FEATURES

- IP65 rating, ideal for outdoor application with protection from the elements
- High lumen output and 3000K, 4000K, 5000K color temperatures
- Extremely high efficacy of up to 142 lumens per watt, which saves on electricity usage



SARIN LED PARKING GARAGE LIGHTS offer the best in class for parking garage safety and lighting. These lights illuminate dark areas like no other and provide safety by deterring criminal activity, keeping patrons moving along with confidence.

These garage lights are high efficiency and light up areas effortlessly with its high lumens paired with selectable 3000K, 4000K, and 5000K color temperatures. These lights are designed for parking garages and for outdoor use; safe when exposed to rain and moisture.

The LEDs in this unit are guaranteed to last up to 50,000 hours and are backed by a 5 year warranty. They can be surface or pendant mounted.



PG





LED Parking
Garage Light

Project: _____ Type: _____


Name: _____ Date: _____

PHOTOMETRICS:


55W:



DIMENSIONS:



10"



11"



PG

LED Parking Garage Light

Project: _____ Type: _____

Name: _____ Date: _____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

	Fixture	Watts	CCT	Finish	Voltage
☒ PG	☐ 55W	☒ 3000K	☐ White	☒ 120-277V	
	☐ 75W	☒ 4000K	☐ Bronze		
		☒ 5000K			

SES PG 75 CCT D
Example Model Number

Quantity	SES	PG	Watts	CCT	Finish	Voltage
						120-277

Common Stock Models:

Item #	Model #
10825	SES PG 55W CCT BR
10826	SES PG 55W CCT