PHB08D | LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____











	110W	130W	165W
130W/150W/165W	14,850-15,400lm	17,550-18,200lm	22,275-23,100lm
	220W	**255W**	**300W**
255W/275W/300W	29,700-30,800lm	34,425-35,700lm	40,500-42,000lm

Size	24.8" L x 12.2/14.5" W x 1.5" H	**CCT**	5700K
Voltage	AC120 - 277V	**IP Rating**	IP20
Dimming	0-10V	**Materials**	Iron, Aluminum
Beam Angle	90°	**Finish**	White
CRI	>80	**Lens**	Matte Lens
PF	≥ 0.9	**Lifespan**	50,000 Hours

SARIN LED LINEAR HIGH BAY LIGHTS are perfect for warehouses, factories, workshops, exhibition halls, supermarkets, gas stations, gymnasiums, and any space with high ceilings.

These lights are easy-to-install and operate, energy efficient, and have long lifespans. Accessories are simple to add on or change, which helps with costs in the long term. Intended for indoor use.

OVERVIEW

CCT: 5700K

Applications: IP20

Efficacy: 135-140lm/W

Dimming: 0-10V

LED Type: SMD 2835

Lens Type: Clear

Driver: LF-FAA150

Operating Temp: -22F° to 176F°

Operating Humidity: 20% - 90% RH

Lifespan: 50,000 Hours

Warranty: 5 Years

FEATURES

- Adjustable wattage allows you to adjust the brightness of the fixture
- 0-10V dimming

©2024


PHB08D | LINEAR HIGH BAY


Project:_____ Type:_____

Name:_____ Date:_____


PHOTOMETRICS:


Lower Wattage






Higher Wattage






DIMENSIONS:

165W



300W



PHB08D | LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture	CCT	Watt Adjustable	Voltage
☑ PHB08D	☑ 5700K	☐ 110W+130W+165W	☑ 120 - 277V
		☐ 220W+255W+300W	

SES-PHB08D-300/255/220-5700
Example Model Number

_____	**SES**	— **PHB08D** —	**5700K** —		— **120 - 277V**
Quantity		Fixture	CCT	Watt Adjustable	Voltage

Common Stock Models:

Item #	Model #
11478	SES-PHB08D-165/130/110-5700
11479	SES-PHB08D-300/255/220-5700

Optional Accessories:

Item #	Model #	QTY:
11348-A	YH36A-16WL-300	



Emergency Driver
11348-A