PHB10 | CCT LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____





	130W	150W	165W
130W/150W/165W	16,900-18,200lm	19,500-21,000lm	21,450-23,100lm
	255W	**275W**	**320W**
255W/275W/320W	33,150-35,700lm	35,750-38,500lm	41,600-44,800lm

Size	see dimensions	**CCT**	4000K - 5000K
Voltage	120-277V; 277-480V	**IP Rating**	IP20
Dimming	0-10V	**Materials**	Iron, Aluminum
Beam Angle	90°	**Finish**	White
CRI	>80	**Lens**	Frosted
PF	≥ 0.9	**Lifespan**	50,000 Hours

SARIN LED LINEAR HIGH BAY LIGHTS are perfect for warehouses, factories, workshops, exhibition halls, supermarkets, gas stations, gymnasiums, and any space with high ceilings.

They are extremely bright at 320W but still manage to be efficient with an efficacy of 130 lumens per watt! The light features 0-10V dimming, a 90 degree beam angle, with chain mounts and a motion sensor base.

These lights are easy-to-install and operate, energy efficient, and have long lifespans. Accessories are simple to add on or change, which helps with costs in the long term.

OVERVIEW

CCT: 4000K - 5000K
Applications: IP20
Efficacy: 130-140lm/W
Dimming: 0-10V
LED Type: Lumileds 2835
Lens Type: Frosted
Driver: LF-FAA320 & & LF-FAA150
Operating Temp:
-40F° to 122F° without motion sensor or emergency driver
-22F° to 122F° with motion sensor
32F° to 122F° with emergency backup
Operating Humidity: 20% - 90%RH
Lifespan: 50,000 Hours
Warranty: 5 Years

FEATURES

- Bright light with up to 320W and up to 43,500lm
- Comes with chain mounts and pre-installed motion sensor base

PHB10 | CCT LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____

PHOTOMETRICS:

Low Wattage





High Wattage





PHB10 | CCT LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____

DIMENSIONS:

Low Wattage



High Wattage



PHB10 | CCT LINEAR HIGH BAY

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture	CCT	Watts	Voltage
☑ PHB10	☑ Tunable	☐ 130W-150W-165W	☐ 120-277V
		☐ 255W-275W-320W	☐ 277-480V

SES-PHB10-CCT-LW
Example Model Number

Quantity	SES	PHB10	Tunable		120-277V
		Fixture	CCT	Wattage Adjustable	Voltage

Common Stock Models:

Item #	Model #
11350	SES-PHB10-CCT-LW-d
11351	SES-PHB10-CCT-HW

Custom Models*:

Item #	Model #
31350*	SES-PHB10-CCT-LW-480
31351*	SES-PHB10-CCT-HW-480

*Allow 10-12 weeks

Optional Accessories:

Item #	Model #	QTY:
10776-A	SES-HB11-MOTION	
11345-C	SES-REMOTE-CONTROLLER	
11348-A	YH36A-16WL-300	
11350-A	SES-PHB10-LW-PENDANT	
11350-B	SES-PHB10-LW-GUARD	

Item #	Model #	QTY:
11350-C	SES-PHB10-LW-SURFACE	
11350-D	SES-PHB10-CHAIN	
11351-A	SES-PHB10-HW-PENDANT	
11351-B	SES-PHB10-HW-GUARD	
11351-C	SES-PHB10-SURFACE	


Surface Mount


Pendant Mount


Wire Guard


Chain