
SFD | LED Slim Flush Downlight

Project:_____ Type:_____

Name:_____ Date:_____







OVERVIEW

CCT: 2700K-5000K

Applications: Indoor / Outdoor

Efficacy: 72-75lm/W

Dimming: Triac

LED Type: SMD 2835

Lens Type: Frosted

Operating Temp: -13F° to 122F°

Operating Humidity: 10-65%RH

Lifespan: 50,000 Hours

Warranty: 5 Years

Size	SFD5: 5.01" x 1.06" SFD7: 7.01" x 1.06" SFD12: 12.01" x 1.06"	**Lumens**	SFD5: 700lm SFD7: 1200lm SFD12: 1200lm
Watts	SFD5: 9W SFD7: 15W SFD12: 27W	**CCT**	2700K - 3000K - 3500K - 4000K - 5000K
Voltage	AC120V	**IP Rating**	Wet Rated
Dimming	Triac	**Materials**	Steel, PS
Beam Angle	120°	**Finish**	White
CRI	>90	**Lens**	Frosted
PF	>0.9	**Lifespan**	50,000 Hours

FEATURES

- Adjustable Color Temperature from warm (2700K) to bright white (5000K)

SARIN LED SLIM DOWNLIGHTS remove the need for recessed cans, freeing up space for installation and hard-to-reach locations with a sleek and elegant look. This downlight is designed to reduce energy costs and maintenance intervals.

SFD


LED Slim Flush Downlight

Project:_____ Type:_____


Name:_____ Date:_____

DIMENSIONS:

5": 5.01" 7": 7.01" 12": 12.01"





1.06"




PHOTOMETRICS:


9W







15W





18W





SFD | LED Slim Flush Downlight

Project:_____ Type:_____

Name:_____ Date:_____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

SES-SFD5-CCT-12
Example Model Number

Fixture	CCT	Watts	Trim
☐ SFD5	☑ Tunable	☐ 12W	☑ White
☐ SFD7		☐ 16W	
☐ SFD12		☐ 27W	

Quantity	SES	–		–	CCT	–		–	
			Fixture		CCT		Watts		Trim

Common Stock Models:

Item #	Model #
11445	SES-SFD5-CCT-12
11446	SES-SFD7-CCT-16
11447	SES-SFD12-CCT-27

Optional Accessories:

Item #	Model #
11448	SES-SFD-ACC

